

Supplemental Label

Liberty® ULTRA

Herbicide – Powered by **Glu-L™** Technology

For increased use rate in corn, cotton, canola, and soybean

This supplemental label expires March 19, 2027, and must not be used or distributed after this date.

Active Ingredient:

Glufosinate-P-Ammonium* 18.7%**

Other Ingredients: 81.3%

Total: 100.0%

* CAS Number 73777-50-1

** Equivalent to 1.76 pounds of active ingredient per U.S. gallon; equivalent to 1.61 pounds per U.S. gallon acid equivalent, as glufosinate-P.

EPA Reg. No. 7969-500

DANGER/PELIGRO

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
 - The supplemental labeling and the entire **Liberty® ULTRA herbicide — Powered by Glu-L™ Technology** container label, EPA Reg. No. 7969-500, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Liberty ULTRA** before applying.
- Use of **Liberty ULTRA** according to this labeling is subject to the use precautions, limitations, and restrictions imposed by the label affixed to the container for **Liberty ULTRA**.

9.2.3 Ground Boom Spray Drift Buffer Reduction Option

An option to reduce the ground buffer distance to 0 feet is:

- Use of an oil emulsion drift reducing adjuvant that constitutes 0.3% of the volume of the finished spray tank mix.

For other ground boom spray drift buffer reduction options, refer to the container label.

13.0 GENERAL USE RESTRICTIONS (ALL CROPS)

13.1 Application Restrictions

- These restrictions are in addition to the crop-specific restrictions.
- **DO NOT** apply when winds are gusty or when conditions will favor movement of spray particles off the desired spray target. See the **Spray Drift Management** section of this label for additional information on proper application of **Liberty ULTRA**.
- **DO NOT** use flood jet nozzles, controlled droplet application equipment, or air-assisted spray equipment.
- **DO NOT** apply **Liberty ULTRA** when soils are saturated or above field capacity.
- **DO NOT** apply **Liberty ULTRA** during rain.
- **DO NOT** apply using chemigation.
- **DO NOT** apply this product through any type of irrigation system.

- **DO NOT** apply aerially in non-glufosinate resistant crops.
- **DO NOT** apply at lower than the labeled rate.
- **DO NOT** apply more than the **combined maximum annual total** for both active ingredients when glufosinate ammonium and glufosinate-P-ammonium are used on the crop in the same year.

15.0 Crop Specific Directions For Use

15.0 Additional Crop Specific General Restrictions

DO NOT exceed the equivalent of 1.90 lbs glufosinate-ammonium per acre per year from all glufosinate-containing products.

15.1 Canola Not registered for use by California.

(cultivars, varieties and/or hybrids, including *Brassica napus*, *Brassica rapa*, and *Brassica juncea*)

15.1.1 LibertyLink® or Glufosinate-resistant Canola In-crop Applications

Application Use Rate	<ul style="list-style-type: none"> • Apply 15 to 23 fl ozs/A depending on weed species, size and density per the Weeds Controlled section. Up to 3 applications (2 in crop, 1 burndown) in crop may be applied with a minimum of 7 days between applications.
Maximum per Year	<ul style="list-style-type: none"> • Up to 46 fl ozs/A may be used per year if no burndown application was used. • If a burndown application was used the maximum per year is 69 fl ozs/A.

15.1.2 LibertyLink® or Glufosinate-resistant Canola for Seed Propagation

Application Use Rate	<ul style="list-style-type: none"> • Apply 15 to 23 fl ozs/A.
Maximum per Year	<ul style="list-style-type: none"> • Maximum per year is 69 fl ozs/A.

15.1.3 Burndown Use Prior to Planting or Prior to Emergence of LibertyLink® or Glufosinate-resistant Canola

Application Use Rate	<ul style="list-style-type: none"> • Apply 19 to 34 fl ozs/A depending on weed species and intention of post application use.
-----------------------------	--

15.1.4 Crop Specific Restrictions – Canola

- **DO NOT** use on **LibertyLink** or glufosinate-resistant canola in the states of Alabama, Delaware, Georgia, Kentucky, Maryland, New Jersey, North Carolina, South Carolina, Tennessee, Virginia, and West Virginia.
- **DO NOT** use in Hawaii and Puerto Rico except for use on **LibertyLink** or glufosinate-resistant canola for seed propagation.
- **DO NOT** apply **Liberty® ULTRA herbicide — Powered by Glu-L™ Technology** within 65 days of harvesting **LibertyLink** or glufosinate-resistant canola.
- **DO NOT** graze the treated crop or cut for hay.
- **DO NOT** apply **Liberty ULTRA** if canola shows injury from prior herbicide applications or environmental stress (drought, excessive rainfall, etc.).
- **DO NOT** apply more than 23 fl ozs/A (0.32 lb ai/A) in a single application for in crop use.
- **DO NOT** apply more than 2 in-crop applications per year.
- **DO NOT** apply more than 3 applications per year, including burndown applications.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application for burndown use.
- **DO NOT** allow a retreatment interval of less than 7 days.
- **DO NOT** apply **more** than three applications of **Liberty ULTRA** to **LibertyLink** or glufosinate-resistant canola for seed propagation.
- If applying to canola for seed propagation, **DO NOT** use treated canola seed for food, feed or oil purposes.

- **DO NOT** make more than 1 application per year for burndown use for **LibertyLink®** or glufosinate-resistant canola.
- **DO NOT** apply more than 69 fl ozs/A (0.95 lb ai/A) per year for **LibertyLink** or glufosinate-resistant canola.
- These crop-specific restrictions are in addition to the **Section 13.0 General Use Restrictions (All Crops)**.

15.2.1 LibertyLink® or Glufosinate-resistant Field Corn and LibertyLink® or Glufosinate-resistant Silage Corn In-crop Applications

Application Use Rate	<ul style="list-style-type: none"> • Apply 19 to 34 fl ozs/A depending on weed species, size and density per the Weeds Controlled section.
Maximum per Year	<ul style="list-style-type: none"> • 69 fl ozs/A

15.2.2 LibertyLink® or Glufosinate-resistant Field or Silage Corn for Seed Propagation

Application Use Rate	<ul style="list-style-type: none"> • Apply 17.5 fl ozs/A.
Maximum per Year	<ul style="list-style-type: none"> • 35 fl ozs/A

15.2.3 Burndown Use Prior to Planting or Prior to Emergence of LibertyLink® or Glufosinate-resistant Field or Silage Corn

Burndown (fl ozs/A)	Additional In-crop Applications if a Burndown Application Made	Maximum Per Year (fl ozs/A)
24 to 34	Up to 2 applications at 19 to 34 fl ozs/A	69

15.2.4 Crop Specific Restrictions – Field and Silage Corn

- **DO NOT** apply **Liberty® ULTRA** herbicide — **Powered by Glu-L™ Technology** within 60 days of harvesting corn forage and within 70 days of harvesting corn grain and corn fodder.
- **DO NOT** apply more than 69 fl ozs/A (0.95 lb ai/A) of **Liberty ULTRA** on **LibertyLink** or glufosinate-resistant field or silage corn per year.
- **DO NOT** apply more than 2 in-crop applications per year.
- **DO NOT** apply more than 3 applications per year, including burndown applications, when using less than the maximum rate.
- **DO NOT** use nitrogen solutions as spray carriers.
- **DO NOT** apply **Liberty ULTRA** if corn shows injury from prior herbicide applications or environmental stress (drought, excessive rainfall, etc.).
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application except for corn grown for seed propagation.
- **DO NOT** apply more than 17.5 fl ozs/A (0.24 lb ai/A) in a single application for corn grown for seed propagation.
- **DO NOT** allow a retreatment interval of less than 7 days for in-crop use.
- **DO NOT** allow a retreatment interval of less than 10 days for corn seed propagation use.
- **DO NOT** use on **LibertyLink** or glufosinate-resistant field corn/silage corn grown in California.
- **DO NOT** apply more than 2 applications for corn seed propagation per year.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application for burndown in **LibertyLink** or glufosinate-resistant Field or silage corn.
- **DO NOT** make more than 1 application per year for burndown use for **LibertyLink** or glufosinate-resistant Field or silage corn.
- **DO NOT** use in Hawaii and Puerto Rico except for use on **LibertyLink** or Glufosinate-resistant Field Corn (field and silage) for Seed Propagation.
- These crop-specific restrictions are in addition to the **Section 13.0 General Use Restrictions (All Crops)**.

15.4.1 LibertyLink® or Glufosinate-resistant Cotton In-crop Applications

Application Use Rate	<ul style="list-style-type: none"> Apply 19 to 34 fl ozs/A depending on weed species, size, and density per the Weeds Controlled section.
Maximum per Year	<ul style="list-style-type: none"> 69 fl ozs/A

15.4.2 LibertyLink® or Glufosinate-resistant Cotton for Seed Propagation

Application Use Rate	<ul style="list-style-type: none"> Apply 19 to 34 fl ozs/A.
Maximum per Year	<ul style="list-style-type: none"> 69 fl ozs/A

15.4.3 Burndown Use Prior to Planting or Prior to Emergence of LibertyLink® or Glufosinate-resistant Cotton

Burndown (fl ozs/A)	Additional In-crop Applications if a Burndown Application Made	Maximum Per Year (fl ozs/A)
19 to 34	Up to 2 applications at 19 to 34 fl ozs/A	69

15.4.4 Non-glufosinate-resistant Cotton In-crop Applications (Directed Application with Hooded Sprayer)

Application Use Rate	<ul style="list-style-type: none"> Apply 19 to 34 fl ozs/A per application depending on weed species, size and density per the Weeds Controlled section.
Maximum per Year	<ul style="list-style-type: none"> 69 fl ozs/A

15.4.5 Crop Specific Restrictions – Cotton

- **DO NOT** apply Liberty® ULTRA herbicide — Powered by Glu-L™ Technology to cotton in Florida, south of Tampa (Florida Route 60), or in Hawaii or Puerto Rico, except for test plots, breeding nurseries or seed propagation.
- **DO NOT** apply Liberty ULTRA within 70 days prior to cotton harvest.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) per application for burndown use.
- **DO NOT** make more than 1 burndown application per year for LibertyLink or glufosinate-resistant cotton.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) per application for in-crop use including seed propagation.
- **DO NOT** apply more than 69 (0.95 lb ai/A) fl ozs per acre per year.
- **DO NOT** apply more than 3 applications per year, including burndown applications, when using less than the maximum rate.
- If a burndown application is made, **DO NOT** apply more than 2 in-crop applications per year.
- **DO NOT** allow a retreatment interval of less than 7 days.
- Refer to **Rotational Crop Restrictions** section of the container label for the appropriate rotational crop plant-back intervals.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) per application.
- **DO NOT** apply in crop to non-glufosinate-resistant cotton except with a hooded sprayer.
- **DO NOT** tank mix Liberty ULTRA with both an EC formulation herbicide and acephate insecticide.
- These crop-specific restrictions are in addition to the **Section 13.0 General Use Restrictions (All Crops)**.

15.5.1 LibertyLink® or Glufosinate-resistant Soybean In-crop Applications

Application Use Rate	<ul style="list-style-type: none"> Apply 19 to 34 fl ozs/A depending on weed species, size and density per the Weeds Controlled section.
Maximum per Year	<ul style="list-style-type: none"> 69 fl ozs/A

15.5.2 LibertyLink® or Glufosinate-resistant Soybean for Seed Propagation

Application Use Rate	<ul style="list-style-type: none"> Apply 19 to 34 fl ozs/A depending on size and density.
Maximum per Year	<ul style="list-style-type: none"> 69 fl ozs/A

15.5.3 Burndown Use Prior to Planting or Prior to Emergence of LibertyLink® or Glufosinate-resistant Soybean

Burndown (fl ozs/A)	Additional In-crop Applications if a Burndown Application Made	Maximum Per Year (fl ozs/A)
19 to 34	Up to 2 applications at 19 to 34 fl ozs/A	69

15.5.4 Crop Specific Restrictions – Soybean

- **DO NOT** apply Liberty® ULTRA herbicide — Powered by Glu-L™ Technology within 70 days of harvesting LibertyLink or glufosinate-resistant soybean resistant soybean seed.
- **DO NOT** apply more than 69 fl ozs/A (0.95 lb ai/A) of Liberty ULTRA on LibertyLink or glufosinate-resistant soybeans per year.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application.
- **DO NOT** apply more than 3 applications per year, including burndown applications, when using less than the maximum rate.
- **DO NOT** make more than 2 in-crop applications per acre per year.
- **DO NOT** make more than 1 application per year for burndown use for LibertyLink or glufosinate-resistant soybean.
- **DO NOT** graze the treated crop or cut for hay.
- **DO NOT** apply Liberty ULTRA if soybeans show injury from prior herbicide applications or environmental stress (drought, excessive rainfall, etc.).
- **DO NOT** allow a retreatment interval of less than 5 days.
- **DO NOT** use in Hawaii and Puerto Rico except for use on LibertyLink or Glufosinate-resistant soybean for seed propagation.
- These crop-specific restrictions are in addition to the **Section 13.0 General Use Restrictions (All Crops)**.

15.6 Burndown Use Prior to Planting or Prior to Emergence of Non-glufosinate resistant crops (Canola, Field Corn, Sweet Corn, Cotton, Soybean)

Crop	Burndown (fl ozs/A)	Additional In-crop Applications if a Burndown Application Made	Maximum Per Year (fl ozs/A)
Non-glufosinate-resistant Canola, Field corn, or Soybean	19 to 34	None	34
Non-glufosinate-resistant Cotton	19 to 34	1 application at 21 to 34 fl ozs/A	69
Non-glufosinate-resistant Sweet corn	19 to 29	None	29

15.6 Restrictions to the Directions for Burndown Use in/on Non-glufosinate Resistant Canola, Field corn, Cotton or Soybean

- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application for burndown in non-glufosinate-resistant canola, non-glufosinate-resistant field corn, non-glufosinate-resistant cotton, or non-glufosinate-resistant soybean.
- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) per year for non-glufosinate-resistant canola, non-glufosinate-resistant field corn, or non-glufosinate-resistant soybean.
- **DO NOT** apply more than 69 fl ozs/A (0.95 lb ai/A) per year for non-glufosinate-resistant cotton.

15.7 Fallow Fields and Postharvest Uses Associated with Canola, Field Corn, Sweet Corn, Cotton and Soybean Production Not registered for use by California.

Tank mixes with 2,4-D, glyphosate, clethodim or residual herbicides can be made with **Liberty® ULTRA herbicide — Powered by Glu-L™ Technology** to enhance total weed control. When using **Liberty ULTRA** in tank mix combinations, follow the precautions and directions of use of the most restrictive label.

Restrictions to the Directions for Use in Fallow Fields and Postharvest

- **DO NOT** apply more than 34 fl ozs/A (0.47 lb ai/A) in a single application to fallow fields or postharvest in a single application per year.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC (hereafter "BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Glu-L is a trademark of BASF.

Liberty and LibertyLink are registered trademarks of BASF.

© 2025 BASF Agricultural Solutions US LLC
All rights reserved.

007969-00500.20251031.NVA 2025-04-0691-0278

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713



We create chemistry